

CD-pin MS (förkopprat stål) utan gänga, för kondensatorsvetsning




Artikelnummer	Benämning/ dimensioner
B06005	CD-Pin MS 3X6
B06010	CD-Pin MS 3X8
B06015	CD-Pin MS 3x10
B06020	CD-Pin MS 3X12
B06025	CD-Pin MS 3x15
B06035	CD-Pin MS 3X20
B06040	CD-Pin MS 3X25

B06055	CD-Pin MS 4X8
B06065	CD-Pin MS 4X10
B06075	CD-Pin MS 4X12
B06080	CD-Pin MS 4X15
B06085	CD-Pin MS 4x20
B06090	CD-Pin MS 4X25
B06095	CD-Pin MS 4X30
B06100	CD-Pin MS 4X35

B06205	CD-Pin MS 5x8
B06215	CD-Pin MS 5x10
B06220	CD-Pin MS 5X12
B06225	CD-Pin MS 5X15
B06240	CD-Pin MS 5X20
B06245	CD-Pin MS 5X25
B06250	CD-Pin MS 5X30
B06255	CD-Pin MS 5X35
B06260	CD-Pin MS 5X40

B06305	CD-Pin MS 6X10
B06310	CD-Pin MS 6X12
B06315	CD-Pin MS 6X15
B06325	CD-Pin MS 6X20
B06330	CD-Pin MS 6X25
B06335	CD-Pin MS 6X30
B06345	CD-Pin MS 6X35
B06350	CD-Pin MS 6X40

B06399	CD-Pin MS 7,1X10
B06400	CD-Pin MS 7,1X12
B06405	CD-Pin MS 7,1X15
B06410	CD-Pin MS 7,1X20



CD-PIN
DIN EN ISO 13918

D ± 0,1	L + 0,6	D1 ± 0,2	D2 ± 0,08	L1 ± 0,05	A	L2	α ± 1 °
ø3	se dimensioner	4,5	0,60	0,55	1,4 -0,7	- L - 0,3	3 °
ø4		5,5	0,65				
ø5		6,5	0,75	0,80	1,4 -0,6		
ø6		7,5					
ø7,1		9,0		0,85	1,8 -0,6		
ø8							
* ø9		11,0					
* ø10,8		12,6 ± 0,1					

Artikelnummer	Benämning/ dimensioner
B06412	CD-Pin MS 7,1X25
B06414	CD-Pin MS 7,1X30

CD-pin SS (rostfritt stål) utan gänga, för kondensatorsvetsning




Artikelnummer	Benämning/ dimensioner
B07000	CD-Pin SS 3X6
B07002	CD-Pin SS 3X8
B07005	CD-Pin SS 3X10
B07006	CD-Pin SS 3X12
B07007	CD-Pin SS 3X15
B07008	CD-Pin SS 3X16
B07010	CD-Pin SS 3X20
B07015	CD-Pin SS 3X25

B07105	CD-Pin SS 4X8
B07110	CD-Pin SS 4X10
B07115	CD-Pin SS 4X12
B07120	CD-Pin SS 4X15
B07121	CD-Pin SS 4X16
B07125	CD-Pin SS 4X20
B07130	CD-Pin SS 4X25
B07132	CD-Pin SS 4X30
B07135	CD-Pin SS 4X35

B07205	CD-Pin SS 5X8
B07210	CD-Pin SS 5X10
B07215	CD-Pin SS 5X12
B07220	CD-Pin SS 5X15
B07221	CD-Pin SS 5X16
B07225	CD-Pin SS 5X20
B07230	CD-Pin SS 5X25
B07235	CD-Pin SS 5X30

B07305	CD-Pin SS 6X10
B07310	CD-Pin SS 6X12
B07315	CD-Pin SS 6X15
B07316	CD-Pin SS 6X16
B07320	CD-Pin SS 6X20
B07325	CD-Pin SS 6X25
B07330	CD-Pin SS 6X30
B07350	CD-Pin SS 6X50

B07400	CD-Pin SS 7,1X10
B07405	CD-Pin SS 7,1X12
B07410	CD-Pin SS 7,1X15
B07411	CD-Pin SS 7,1X16



CD-PIN
DIN EN ISO 13918

D ± 0,1	L + 0,6	D1 ± 0,2	D2 ± 0,08	L1 ± 0,05	A	L2	α ± 1 °
ø3	se dimensioner	4,5	0,60	0,55	1,4 -0,7	- L - 0,3	3 °
ø4		5,5	0,65				
ø5		6,5	0,75	0,80			
ø6		7,5					
ø7,1		9,0		0,85			
ø8		11,0					
* ø9		12,6 ± 0,1					
* ø10,8					1,8 -0,6	-0,6	

Artikelnummer	Benämning/ dimensioner
B07415	CD-Pin SS 7,1x20
B07417	CD-Pin SS 7,1X25
B07420	CD-Pin SS 7,1X30

CD-pin A/A (Aluminium) utan gänga, för kondensatorsvetsning




Artikelnummer	Benämning/ dimensioner
B08000	CD-Pins A/A 3X6
B08005	CD-Pins A/A 3X8
B08010	CD-Pins A/A 3X10
B08012	CD-Pins A/A 3X12
B08015	CD-Pins A/A 3X15
B08025	CD-Pins A/A 3X20

B08115	CD-Pins A/A 4X8
B08120	CD-Pins A/A 4X10
B08130	CD-Pins A/A 4X15
B08135	CD-Pins A/A 4X20
B08140	CD-Pins A/A 4X25

B08205	CD-Pins A/A 5x8
B08210	CD-Pins A/A 5x10
B08220	CD-Pins A/A 5x15
B08225	CD-Pins A/A 5x20
B08230	CD-Pins A/A 5x25
B08235	CD-Pins A/A 5x30

B08305	CD-Pins A/A 6x10
B08310	CD-Pins A/A 6x12
B08315	CD-Pins A/A 6x15
B08320	CD-Pins A/A 6X20
B08325	CD-Pins A/A 6x25
B08326	CD-Pins A/A 6x30
B08327	CD-Pins A/A 6x35



CD-PIN
DIN EN ISO 13918

D ± 0,1	L + 0,6	D1 ± 0,2	D2 ± 0,08	L1 ± 0,05	A	L2	α ± 1 °
ø3	se dimensioner	4,5	0,60	0,55	1,4 -0,7	- L - 0,3	3 °
ø4		5,5	0,65				
ø5		6,5	0,75	0,80			
ø6		7,5					
ø7,1		9,0		0,85			
ø8		11,0					
* ø9		12,6 ± 0,1					
* ø10,8					1,8 -0,6	-0,6	

CD-pin BR (Mässing) utan gänga, för kondensatorsvetsning




Artikelnummer	Benämning/ dimensioner
B09000	CD-Pin BR 3X6
B09002	CD-Pin BR 3X8
B09005	CD-Pin BR 3X10
B09006	CD-Pin BR 3X12
B09007	CD-Pin BR 3X15
B09011	CD-Pin BR 3X20

B09010	CD-Pin BR 4x8
B09015	CD-Pin BR 4X10
B09017	CD-Pin BR 4X12
B09020	CD-Pin BR 4X15
B09023	CD-Pin BR 4X20
B09025	CD-Pin BR 4X25

B09055	CD-Pin BR 5X8
B09060	CD-Pin BR 5X10
B09062	CD-Pin BR 5X15
B09064	CD-Pin BR 5X20
B09066	CD-Pin BR 5X25
B09065	CD-Pin BR 5X30

B09100	CD-Pin BR 6X10
B09102	CD-Pin BR 6X15
B09104	CD-Pin BR 6X20
B09105	CD-Pin BR 6X25



CD-PIN
DIN EN ISO 13918

D ± 0,1	L + 0,6	D1 ± 0,2	D2 ± 0,08	L1 ± 0,05	A	L2	α ± 1 °
ø3	se dimensioner	4,5	0,60	0,55	1,4 -0,7	- L - 0,3	3 °
ø4		5,5	0,65				
ø5		6,5	0,75	0,80	1,4 -0,6		
ø6		7,5					
ø7,1		9,0		0,85			
ø8		11,0					
* ø9		12,6					
* ø10,8		± 0,1			1,8 -0,6	-0,6	